**Parts Manual for** 

# SNAPPER

32", 36", & 48"

# **COMMERCIAL MOWERS**

MODEL NUMBERS:

W32081


W32121

W32121K

W36121

W36121K

W48121




MODEL W48121K ILLUSTRATED

SNAPPER®McDonough, GA., 30253 U.S.A.


#### **NOTES**

|            |                                       | · · · · · · · · · · · · · · · · · · ·   |             |
|------------|---------------------------------------|---|-------------|
|            |                                       |   |             |
| <br>·      |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            | <del>-</del>                          |   |             |
|            |                                       |   | <del></del> |
| <br>       |                                       | · · · · · · · · · · · · · · · · · · ·   |             |
|            |                                       |   |             |
| <br>       | <del></del>                           |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            | <u> </u>                              |   |             |
|            | · · · · · · · · · · · · · · · · · · · |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
| <br>       |                                       |   |             |
| - <u> </u> |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       | *************************************** |             |
|            | <del></del>                           |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |
|            |                                       |   |             |

#### COMPONENTS LOCATION



<sup>©</sup> Copyright 1988 by SNAPPER POWER EQUIPMENT. Printed in the United States of America. All rights reserved. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited.



#### **REAR DECK ASSEMBLY**

| ITEM           | PART NO. | DESCRIPTION  |
|----------------|----------|--|
| 1              | 7-7285   | PULLEY, Output w/Set Screw (2)                                     |
| 2              | 1-5894   | KEY, Woodruff No. 605 (3)  |
| 3              | 7-7845   | BRACKET WELDMENT, Bearing Support                                  |
| 4              | 7-7860   | BELLCRANK, Traction Weldment                                       |
| 5              | 7-6439   | SPRING, Extension (2)  |
| 6              | 7-6487   | HOOK, Spring(s) (2)  |
| 7              | 7-7858   | TAB, Blade Switch  |
| 8              | 7-7866   | TAB, Traction Switch Left  |
| 9              | 9-0078   | BOLT, 1/4-20 x 1-1/4" Square Neck Carriage, Grade 2 (2)            |
| 10             | 9-0055   | WASHER, 1/4 SAE Flat (3)   |
| 11             | 7-6978   | NUT, 1/4-20 Nyloc (12)   |
| 12             | 7-7851   | BELLCRANK, Blade Control   |
| 13             | 7-6998   | FITTING, 1/4-20 Grease (2)   |
| 14             | 7-6380   | BOX, Worm Gear Reduction   |
| 15             | 2-3442   | TUBE, Transmission Output Shaft                                    |
| 16             | 7-6956   | SCREW, 5/16-18 x 3/8" Set (9)                                      |
| 17             | 9-0074   | BOLT, 1/4-20 x 3/4" Short Neck Carriage, Grade 5                   |
| 18             | 9-0583   | NUT, 1/4-20 Hex Flange Lock  |
| 19             | 9-0548   | SCREW, 1/4-20 x 1" Hex Head Cap, Grade 5 (4)                       |
| 20             | 7-6504   | BEARING, Flange w/Set Screws (2)                                   |
| 21             | 7-6679   | SCREW, #10-32 x 1/4" Set Nyloc (4)                                 |
| 22             | 7-6505   | PLATE, Flange (4)  |
| 23             | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (6)                     |
| 24             | 9-0730   | SCREW, 3/8-16 x 1-3/4" Hex Head Cap, Grade 5                       |
| 25             | 9-0517   | WASHER, 3/8 Std. Flat (6)  |
| 26             | 7-7905   | REAR DECK w/Decal  |
| 27             | 1-8956   | DECAL, Caution   |
| 28             | 7-6377   | WELDMENT, Axle (36" & 48")   |
|                | 7-6332   | WELDMENT, Axle (32")   |
| *29            | 9-0118   | WASHER, 3/8" Split Lock (15)                                       |
| 30             | 9-0563   | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (4)                       |
| 31             | 3-8513   | BELT GUIDE (6) new 2-3609  |
| 32             | 9-0206   | SCREW, 5/16-18 X 3/4" Hex Head Cap, Grade 2 (9)                    |
| 33             | 9-0717   | NUT, 5/16-18 Hex Nyloc (14)  |
|                |          | NUT, M8-1.25 Hex Nyloc   |
| 34             | 9-0692   | WASHER, 5/16 Flat (10)   |
| 35             | 7-6498   | BELT, Variable Speed (32" & 36")                                   |
|                | 7-6680   | BELT, Variable Speed (48" Only)                                    |
| 36             | 1-7033   | KEY, 1/4" Square x 2-1/2"  |
| 37             | 7-6398   | PULLEY, w/Set Screws   |
| 38             | 7-6501   | PULLEY, Variable Speed w/Set Screws                                |
| 39             | 1-7034   | SPACER, variable Speed   |
| 40             | 9-0247   | WASHER, 7/16 Split Lock  |
| 41             | 2-3388   | SCREW, 7/16-20 x 3" Hex Head Cap (Briggs)                          |
|                | 2-3415   | SCREW, M10-1.5 x 75 Hex Head Cap (Kawasaki)                        |
| 42             | 9-0187   | WASHER, 5/16 Split Lock (6)  |
| 43             | 7-6936   | SCREW. 5/16-18 x 1-3/4" Hex Head Cap, Grade 5 (Briggs) (3)         |
| 44             | 7-7692   | SCREW, M8-1.25 x 25 Hex Head Self-Tap (Kawasaki) (3)               |
| 44             | 7-6938   | SCREW, 5/16-18 x 2-1/4" Hex Head Cap, Grade 5 (Briggs)             |
| <br>4 <i>E</i> | 7-6973   | SCREW, M8-1.25 x 50 Hex Head Cap (Kawasaki)                        |
| 45<br>46       | 7-6420   | BELLCRANK BUSHING Bourder Metal                                    |
| 46             | 7-6453   | BUSHING, Powder Metal  |
| 47<br>49       | 7-7846   | BRACKET, Bearing Support   |
| 48             | 7-7859   | BELLCRANK, Traction Right  |
| 49<br>50       | 7-7855   | PULLEY, Idler (2) SCREW 3/8 3/4 x 1 1/2" Have Head Con Crade 3 (2) |
| 50             | 9-0164   | SCREW, 3/8-24 x 1-1/2" Hex Head Cap, Grade 2 (2)                   |


<sup>\*</sup>SEE PAGE 6- "WHEEL ASSEMBLY"


# **REAR DECK ASSEMBLY (continued)**

| ITEM             | PART NO. | DESCRIPTION                                     |
|------------------|----------|---|
| 51               | 2-3294   | TAB, Traction Switch                            |
| 52               | 7-6339   | BRAKE ASSEMBLY, Right (shown)                   |
|                  | 7-6340   | BRAKE ASSEMBLY, Left                            |
| 53               | 7-6497   | BELT, Traction (2)                              |
| 54               | 9-0134   | SCREW, 3/8-16 x 3/4" Hex Head Cap, Grade 5      |
| *55              | 7-7290   | WHEEL, w/Flange Assembly (36" & 48") (2)        |
|                  | 7-7194   | WHEEL, w/Flange Assembly (32") (2)              |
| *56              | 7-7221   | BEARING, Roller (32") (4)                       |
|                  | 7-7313   | BEARING, Roller (36" 7 48") (4)                 |
| *57              | 7-7312   | BUSHING, Flange (4)                             |
| *58              | 7-6508   | SPACER (2)                                      |
| *59              | 7-7222   | TIRE, 2 Ply Turfmaster (32") (2)                |
|                  | 7-7310   | TIRE, 2 Ply Turfmaster (36" 7 48") (2)          |
| *60              | 7-6522   | SHEAVE (2)                                      |
| *61              | 7-6440   | DRUM, Brake (2)                                 |
| *62              | 7-6942   | SCREW, 3/8-24 x 5/8" Hex Head Cap, Grade 5 (8)  |
| *63              | 7-6998   | FITTING, 1/4-28 Grease (2)                      |
| *64              | 7-7195   | WHEEL, w/Sheave & Drum Assembly (32") (2)       |
|                  |          | (Includes items 29, 55, 60, 61 & 62)            |
|                  | 7-7292   | WHEEL, w/Sheave 7 Drum Assembly (36" & 48") (2) |
|                  |          | (Includes items 29, 55, 60, 61 & 62)            |
| *65              | 7-6407   | TIRE ASSEMBLY, w/Bearings (36' & 48") (2)       |
|                  |          | (Includes items 55, 56, 57 & 59)                |
|                  | 7-6335   | TIRE ASSEMBLY, w/Bearings (32") (2)             |
|                  |          | (Includes items 55, 56, 57 & 59)                |
| *66              | 7-6336   | TIRE ASSEMBLY (32") (2)                         |
|                  |          | (Includes 29, 60, 61, 62 & 65)                  |
|                  | 7-6409   | TIRE ASSEMBLY (36" & 48") (2)                   |
|                  |          | (Includes 29, 60, 61, 62 & 65)                  |
| 67               | 7-6368   | FENDER, Right (shown)                           |
|                  | 7-6369   | FENDER, Left                                    |
| 68               | 7-6431   | LINKAGE, Brake (2)                              |
| 69               | 7-6434   | SWIVEL, Short (3)                               |
| 70               | 7-6486   | SWIVEL, Long (2)                                |
| 71               | 7-6988   | HAIRPIN, #2 Cotter (4)                          |
| 72               | 7-6446   | SCRAPER (2)                                     |
| 73               | 9-0585   | NUT, 5/16-18 Hex Flange Lock, Grade 5 (2)       |
| 74               | 7-6429   | BAR, Slide                                      |
| 75<br>75         | 7-6432   | LINKAGE, Variable Speed Adjustment              |
| 76               | 1-9078   | PULLEY, Idler w/Bushing                         |
| 77<br><b>7</b> 2 | 7-6374   | BRACKET, Slide                                  |
| 78<br>70         | 1-9077   | SPACER (1" O.D. x 13/32 I.D. x 3/8") (2)        |
| 79               | 2-3284   | GUIDE, Belt                                     |
| 80               | 9-0796   | SCREW, 3/8-16 x 2-1/2" Hex Head Cap, Grade 2    |
| 81               | 9-0613   | NUT, 3/8-16 Hex Flange Lock (2)                 |
| 82               | 9-0655   | SCREW, 3/8-16 x 1-1/2" Hex Head Cap, Grade 5    |
| 83               | 9-0555   | PIN, 3/32 x 1/2" Cotter                         |
| 84<br>85         | 9-0188   | WASHER, 5/16 SAE Flat                           |
| 85<br>86         | 5-7555   | SLIDE, Variable Speed Assembly                  |
| 86<br>87         | 4-7947   | SHIELD, Lower Belt                              |
| 87               | 9-0209   | SCREW, 5/16-18 x 1" Hex Head Cap, Grade 2 (2)   |
| 88               | 7-6397   | PULLEY, Transmission w/Set Screws (32" & 36")   |
|                  | 7-6649   | PULLEY, Transmission w/Set Screws (48")         |
| 89               | 7-6531   | WASHER, Brake Linkage (6)                       |
| *90              | 7-7000   | COLLAR, 7/8" Clamp w/Set Screw (2)              |

<sup>\*</sup>SEE PAGE 6- "WHEEL ASSEMBLY"


# TRACTION WHEEL ASSEMBLY






# 48" MOWER, FRONT DECK

| ITEM     | PART NO.         | DESCRIPTION  |
|----------|------------------|--|
| 1        | 5-7573           | <b>DESCRIPTION</b> SHIELD, Belt w/Decal 48   |
| 2        | 7-6524           | COVER, Spindle (3)   |
| 3        | 1-9105           | DECAL, Commercial 48   |
| 4        | 9-0717           | NUT, 5/16-18 Hex Nyloc (28)  |
| 5        | 9-0692           | WASHER, 5/16 Standard Flat (12)  |
| 6<br>7   | 9-0585<br>7-6980 | NUT, 5/16-18 Hex Flange Lock, Grade 5 (9)<br>NUT, 5/8-18 Hex (3)                           |
| 8        | 7-6677           | BELT, Engine/Blade   |
| 9        | 1-2757           | KEY, 1/4 Square x 1-1/4" (3)   |
| 10       | 7-6398           | PULLEY, w/Set Screws (2)   |
| 11       | 7-6956           | SCREW, Set (6)   |
| 12<br>13 | 7-6676<br>3-8513 | BELT, Blade to Blade<br>GUIDE, Belt (6)  |
| 14       | 7-6988           | HAIRPIN, #2 Cotter (5)   |
| 15       | 7-7921           | SWIVEL   |
| 16       | 7-7940           | ROD, Blade Drive   |
| 17       | 2-3328           | CAP  |
| 18<br>19 | 7-6646<br>7-6452 | ARM, Idler w/Bushing<br>BUSHING (2)  |
| 20       | 7-6681           | SNUBBER, Belt  |
| 21       | 7-6686           | ARM, Tightening  |
| 22       | 7-6688           | PULLEY, Idler (3)  |
| 23       | 7-6694           | BUSHING, Flange  |
| 24       | 9-0701<br>7-6969 | BOLT, 3/8-16 x 1-3/4" Hex Flange Lock, Grade 5   |
| 25<br>26 | 7-0909<br>9-0209 | SCREW, 5/16-18 x 3-1/4" Hex Head Cap (3)<br>SCREW, 5/16-18 x 1" Hex Head Cap, Grade 2 (14) |
| 27       | 7-6687           | ARM, Blade Assist  |
| 28       | 7-7001           | BOLT, 3/8 x 3/4" Knurled Socket Head Shoulder  |
| 29       | 7-6689           | SPACER   |
| 30       | 7-6982           | WASHER, 5/8" Flat (5)  |
| 31<br>32 | 9-0333<br>5-7576 | WASHER, 5/8" Split Lock (2) DECK, Front 48" w/Decals                                       |
| 33       | 7-6653           | DEFLECTOR, Chute   |
| 34       | 7-6419           | CAP, Cutter Housing (6)  |
| 35       | 7-6511           | RING, Snap (6)   |
| 36       | 7-6510           | BEARING (6)  |
| 37<br>38 | 7-7304<br>7-6997 | HOUSING, Cutter (3) FITTING, 1/8 NTP Grease (3)  |
| 39       | 7-7305           | SPINDLE, Cutter (2)  |
| 40       | 7-6436           | SPACER, Blade (12)   |
| 41       | 7-6675           | BLADE, 16-1/4" Ultra High Lift (.164) (3)  |
| <br>42   | 7-7378           | BLADE, 16-1/4" Optional Ultra High Lift (.250) (3)   |
| 42<br>43 | 7-6946<br>7-6951 | SCREW, 5/8-18 x 7-1/2" Hex Head Cap, Grade 5 (2) SCREW, #10-24 x 3/8" Pan Head (18)        |
| 44       | 7-6989           | HAIRPIN, #4 Cotter   |
| 45       | 9-0767           | SCREW, 5/8-11 x 1" Hex Head Cap, Grade 5   |
| 46       | 1-3010           | DECAL, CPSC  |
| 47       | 7-6533           | DECAL, "Caution"   |
| 48<br>49 | 1-8593<br>7-6947 | DECAL, "SNAPPER"<br>SCREW, 5/8-18 x 8" Hex Head Cap, Grade 5                               |
| 50       | 7-7376           | SPINDLE, Cutter  |
| 51       | 7-6647           | ARM, Idler Right w/Bushing   |
| 52       | 9-0588           | SCREW, 3/8-16 x 2" Hex Head Cap, Grade 5   |
| 53       | 7-6836           | BUSHING, Idler Flange  |
| 54<br>55 | 7-6970<br>7-6979 | BOLT, 3/8-16 x 2-1/2" Hex Head Tap<br>NUT, 3/8-16 Hex Nyloc                                |
| 56       | 9-0613           | NUT, 3/8-16 Hex Flange Lock  |
| 57       | 9-0517           | WASHER, 3/8" Flat (2)  |
| 58       | 7-6695           | BUSHING, Idler Flange  |
| 59<br>60 | 7-6925           | SCREW, 5/16-18 x 3/4" Hex Head Cap, Grade 2 (6)  |
| 60<br>   | 7-6648<br>1-9101 | PULLEY, Double w/Set Screws<br>SHEAVE, Taper lock (Replaces 7-6648)                        |
|          | 2-3381           | BUSHING, Sheave (for 1-9101 Sheave)  |
| 61       | 7-6683           | ROD, Belt Tension  |
| 62       | 7-6379           | ASSEMBLY, Cutter Housing (2)   |
| 63       | 7-6645           | ASSEMBLY, Cutter Housing (Center)  |
|          |                  |  |



# 36" MOWER, FRONT DECK

| ITEM       | PART NO. | DESCRIPTION                                    |
|------------|----------|--|
| 1          | 5-7572   | SHIELD, Belt w/Decal 36                        |
| 2          | 7-6524   | COVER, Spindle (2)                             |
| 3          | 1-9095   | DECAL, Commercial 36                           |
| 4          | 9-0717   | NUT, 5/16-18 Hex Nyloc (17)                    |
| 5          | 9-0692   | WASHER,.5/16 Standard Flat (8)                 |
| 6          | 9-0585   | NUT, 5/16-18 Hex Flange Lock (3)               |
| 7          | 7-6980   | NUT, 5/8-18 Hex (2)                            |
| 8          | 7-6496   | BELT, Engine Blade                             |
| 9          | 1-2757   | KEY, 1/4" Square x 1-1/4" (2)                  |
| 10         | 7-6398   | PULLEY, w/Set Screws (2)                       |
| 11         | 7-6956   | SCREW, 5/16-18 x 3/8" Hex Socket Set (4)       |
| 12         | 1-4415   | STUD, Stop                                     |
| 13         | 9-0613   | NUT, 3/8-16 Hex Flange Lock                    |
| 14         | 7-6988   | HAIRPIN, #2 Cotter (3)                         |
| 15         | 7-7921   | SWIVEL   |
| 16         | 7-7941   | ROD, Blade Drive                               |
| 17         | 2-3328   | CAP  |
| 18         | 7-6386   | ARM, Idler w/Bushing                           |
| 19         | 7-6452   | BUSHING  |
| 20         | 7-6681   | SNUBBER, Belt                                  |
| 21         | 7-6686   | ARM, Tightening                                |
| 22         | 7-6688   | PULLEY, Idler                                  |
| 23         | 7-6694   | BUSHING, Flange                                |
| 24         | 9-0701   | BOLT, 3/8-16 x 1-3/4" Hex Flange Lock, Grade 5 |
| 25         | 7-6969   | SCREW, 5/16-18 x 3-1/4" Hex Head Cap (3)       |
| 26         | 9-0209   | SCREW, 5/16-18 x 1" hex Head Cap, Grade 2 (10) |
| 27         | 7-6687   | ARM, Blade Assist                              |
| 28         | 7-7001   | BOLT, 3/8 x Knurled Socket Head Shoulder       |
| 29         | 7-6689   | SPACER   |
| 30         | 7-6982   | WASHER, 5/8" Flat (3)                          |
| 31         | 9-0333   | WASHER, 5/8" Split Lock                        |
| 32         | 5-7575   | DECK, Front 36 w/Decals                        |
| 33         | 7-6382   | DEFLECTOR, Chute                               |
| 34         | 7-6419   | CAP, Cutter Housing (4)                        |
| 35         | 7-6511   | RING, Snap (4)                                 |
| 36         | 7-6510   | BEARING (4)                                    |
| 37         | 7-7304   | HOUSING, Cutter (2)                            |
| 38         | 7-6997   | FITTING, 1/8 NPT Grease (2)                    |
| 39         | 7-7305   | SPINDLE, Cutter (2)                            |
| 40         | 7-6436   | SPACER, Blade (8)                              |
| <b>4</b> 1 | 7-6450   | BLADE, 18" Ultra High Lift (.164) (2)          |
|            | 7-7344   | BLADE, 18" Optional Ultra High Lift (.250) (2) |
| 42         | 7-6946   | SCREW, 5/8-18 x 7-1/2" Hex Head Cap (2)        |
| 43         | 7-6951   | SCREW, #10-23 x 3/8" Pan Head (12)             |
| 44         | 7-6989   | HAIRPIN, #4 Cotter                             |
| 45         | 9-0767   | SCREW, 5/8-11 x 1" Hex Head Cap, Grade 5       |
| 46         | 1-3010   | DECAL, CPSC                                    |
| 47         | 7-6533   | DECAL, "Caution"                               |
| 48         | 7-6379   | ASSEMBLY, Cutter Housing (2)                   |
|            |          | • , ,  |




# 32" MOWER, FRONT DECK

| ITEM       | PART NO. | DESCRIPTION  |
|------------|----------|--|
| 1          | 5-7571   | SHIELD, Belt w/Decal 32                            |
| 2          | 7-6524   | COVER, Spindle (2)                                 |
| 3          | 1-9094   | DECAL, Commercial 32                               |
| 4          | 9-0717   | NUT, 5/16-18 Hex Nyloc (17)                        |
| 5          | 9-0692   | WASHER, 5/16 Standard Flat (8)                     |
| 6          | 9-0585   | NUT, 5/16-18 Hex Flange Lock (3)                   |
| 7          | 7-6980   | NUT, 5/8-18 Hex (2)                                |
| 8          | 7-6353   | BELT, Engine/Blade                                 |
| 9          | 1-2757   | KEY, 1/4" Square x 1-1/4" (2)                      |
| 10         | 7-6398   | PULLEY, w/Set Screws (2)                           |
| 11         | 7-6956   | SCREW, 5/16-18 x 3/8" Hex Socket Set (4)           |
| 12         | 1-4415   | STUD, Stop   |
| 13         | 9-0613   | NUT, 3/8-16 Hex Flange Lock                        |
| 1 <b>4</b> | 7-6988   | HAIRPIN, #2 Cotter (3)                             |
| 15         | 7-7921   | SWIVEL   |
| 16         | 7-7941   | ROD, Blade Drive                                   |
| 17         | 2-3328   | CAP  |
| 18         | 7-6386   | ARM, Idler w/Bushing                               |
| 19         | 7-6452   | BUSHING  |
| 20         | 7-6681   | SNUBBER, Belt                                      |
| 21         | 7-6686   | ARM, Tightening                                    |
| 22         | 7-6688   | PULLEY, Idler                                      |
| 23         | 7-6694   | BUSHING, Flange                                    |
| 24         | 9-0701   | BOLT, 3/8-16 x 1-1/4" Hex Flange Lock, Grade 5     |
| 25         | 7-6969   | SCREW, 5/16-18 x 3-1/4" Hex Head Cap (3)           |
| 26         | 9-0209   | SCREW, 5/16-18 x 1" Hex Head Cap, Grade 2 (12)     |
| 27         | 7-6687   | ARM, Blade Assist                                  |
| 28         | 7-7001   | BOLT, 3/8 x 3/4" Knurled Socket Head               |
| 29         | 7-6689   | SPACER   |
| 30         | 7-6982   | WASHER, 5/8" Flat (3)                              |
| 31         | 9-0333   | WASHER, 5/8" Split Lock                            |
| 32         | 5-7574   | DECK, Front 32 w/Decals                            |
| 33         | 7-6382   | DEFLECTOR, Chute                                   |
| 34         | 7-6419   | CAP, Cutter Housing (4)                            |
| 35         | 7-6511   | RING, Snap (4)                                     |
| 36         | 7-6510   | BEARING (4)  |
| 37         | 7-7304   | HOUSING, Cutter (2)                                |
| 38         | 7-6997   | FITTING, 1/8 NPT Grease (2)                        |
| 39         | 7-7305   | SPINDLE, Cutter (2)                                |
| 40         | 7-6436   | SPACER, Blade (8)                                  |
| 41         | 7-6675   | BLADE, 16-1/4" Ultra High Lift (.164) (2)          |
|            | 7-7378   | BLADE, 16-1/4" Optional Ultra High Lift (.250) (2) |
| 42         | 7-6946   | SCREW, 5/8-18 x 7-1/2" Hex Head Cap, Grade 5 (2)   |
| 43         | 7-6951   | SCREW, #10-24 x 3/8" Pan Head (12)                 |
| 44         | 7-6989   | HAIRPIN, #4 Cotter                                 |
| 45         | 9-0767   | SCREW, 5/8-11 x 1" Hex Head Cap, Grade 5           |
| 46         | 1-3010   | DECAL, CPSC  |
| 47         | 7-6533   | DECAL, "Caution"                                   |
| 48         | 7-6379   | ASSEMBLY, Cutter Housing (2)                       |
|            | . 5575   | , COLINDET, Outtor Flouding (2)                    |

# **CASTER WHEEL ASSEMBLY**

#6-0908 CASTER WHEEL KIT (Includes items 1 thru 20)




#### **CASTER WHEEL ASSEMBLY**

| ITEM | PART NO. | DESCRIPTION   |
|------|----------|---|
| 1    | 7-6515   | BUSHING, Staight (2)                                  |
| 2    | 7-6399   | SUPPORT, Caster w/Bushings (2)                        |
| 3    | 9-0517   | WASHER, 3/8" Flat                                     |
| 4    | 9-0613   | NUT, 3/8-16 Hex Flange Lock                           |
| 5    | 7-6997   | FITTING, 1/8 NPT Straight Lube (2)                    |
| 6    | 7-6514   | BUSHING, Flange (2)                                   |
| 7    | 1-2234   | STEM, Valve (2)                                       |
| 8    | 7-6401   | YOKE, Caster (2)                                      |
| 9    | 7-6408   | TIRE ASSEMBLY (2)                                     |
| 10   | 7-6549   | AXLE, Caster (2)                                      |
| 11   | 7-6967   | PIN, 3/16" Dia. Linkch (2)                            |
| 12   | 7-7356   | CAP, Wheel Size 1-1/2" I.D. (for 1-1/2" O.D. Hub) (4) |
|      | 7-7354   | CAP, Wheel Size 1-5/8" I.D. (for 1-5/8" O.D. Hub) (4) |
| 13   | 7-6998   | FITTING, 1/4-28, Straight Lube                        |
| 14   | 7-7353   | BEARING, Roller (4)                                   |
| 15   | 7-7346   | TIRE (2)  |
| 16   | 7-7350   | RIM, w/Valve, Cap & Grease Fitting (2)                |
| 17   | 7-7720   | WASHER, Tab (2)                                       |
| 18   | 7-6949   | BOLT, 3/8-16 x 1-3/4" Hex Head Tap                    |
| 19   | 7-7000   | COLLAR, 7/8" Clamp                                    |
| 20   | 9-0563   | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (2)          |
| 21   | 1-0821   | TUBE, Inner (Optional)                                |

#6-0908 CASTER WHEEL KIT (Includes items 1 thru 20)


# UPPER HANDLE, BLADE/VARIABLE SPEED LINKAGE



# UPPER HANDLE, BLADE/VARIABLE SPEED LINKAGE


| ITEM | PART NO. | DESCRIPTION                                  |
|------|----------|--|
| 1    | 5-1802   | WELDMENT, Upper Handle                       |
| 2    | 7-7912   | DECAL, Blade                                 |
| 3    | 7-7911   | DECAL, Ground Speed                          |
| 4    | 7-7274   | LEVER, Control w/Grip Assembly (2)           |
| 5    | 9-0588   | SCREW, 3/8-16 x 2" Hex Head Cap, Grade 5 (2) |
| 6    | 7-6438   | SPRING, Compression (2)                      |
| 7    | 7-6979   | NUT, 3/8-16 Hex Nyloc (2)                    |
| 8    | 9-0517   | WASHER, 3/8" Standard Flat (2)               |
| 9    | 7-6435   | WASHER, Spacer (2)                           |
| 10   | 7-6988   | HAIRPIN, #2 (2)                              |
| 11   | 7-7793   | PIN, 5/16 Clevis (2)                         |
| 12   | 7-6481   | YOKE (2)                                     |
| 13   | 7-6519   | LINKAGE, Blade                               |
| 14   | 7-6534   | LINKAGE, Ground Speed                        |
| 15   | 1-5098   | NUT, #10-24 Clip (8)                         |
| 16   | 7-7900   | PANEL, Control w/Decals                      |
| 17   | 7-7901   | COVER, Bottom w/Decal                        |
| 18   | 7-6952   | SCREW, #10-24 x 5/8" Pan Head (8)            |
| 19   | 2-3313   | PIN, 5/16 x 1-1/8" Roll (2)                  |
|      |          |  |

# TRACTION LINKAGE



#### TRACTION LINKAGE


| ITEM | PART NO. | DESCRIPTION                                      |
|------|----------|--|
| 1    | 5-1802   | HANDLE, Upper J-Weldment w/Decals                |
| 2    | 7-7857   | LEVER, Operator Presence w/Grip (2)              |
| 3    | 7-7884   | PIN, 3/16 x 2-1/4" Clevis (2)                    |
| 4    | 7-7886   | BUSHING (4)                                      |
| 5    | 1-4734   | NUT, 3/16" Push (2)                              |
| 6    | 7-6387   | LATCH, Thumb w/Grip                              |
| 7    | 7-6388   | LATCH, Thumb w/Grip                              |
| 8    | 9-0055   | WASHER, 1/4" SAE Flat (4)                        |
| 9    | 9-0761   | NUT, 1/4-20 Prevailing Torque (2)                |
| 10   | 9-0639   | SCREW, 1/4-20 x 1-1/2" Hex Head Cap, Grade 5 (2) |
| 11   | 7-6983   | WASHER, 1/4" Spring Wave (2)                     |
| 12   | 7-6488   | GRIP, Handle (2)                                 |
| 13   | 7-7870   | LEVER, Traction w/Grip (2)                       |
| 14   | 7-7875   | ROD, Traction (2)                                |
| 15   | 7-6486   | SWIVEL, Long (2)                                 |
| 16   | 7-6988   | HAIRPIN, #2 Cotter (4)                           |
| 17   | 7-7882   | BUSHING, Snap                                    |
| 18   | 9-0563   | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (4)     |
| 19   | 7-6979   | NUT, 3/8-16 Hex Nyloc (4)                        |
| 20   | 7-6391   | HANDLE, Lower                                    |
| 21   | 9-0143   | SCREW, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 92) |
| 22   | 9-0118   | WASHER, 3/8" Split Lock (2)                      |
| 23   | 9-0254   | WASHER, 1/2" Split Lock (8)                      |
| 24   | 9-0258   | NUT, 1/2-13 Regular Hex (8)                      |
| 25   | 7-6430   | BRACE, Handle (2)                                |
| 26   | 9-0692   | WASHER, 5/16" Standard Flat (4)                  |



# **UPPER HANDLE CONSOLE/WIRING**

| ITEM | PART NO. | DESCRIPTION                                       |
|------|----------|---|
| 1    | 7-7900   | PANEL, Control w/Decals                           |
| 2    | 1-8593   | DECAL, Snapper (2)                                |
| 3    | 7-7872   | DECAL, Control Panel                              |
| 4    | 7-7910   | DECAL, Caution                                    |
| 5    | 1-1138   | KEY (2)   |
| 6    | 1-2685   | NUT, 5/8-32 Hex                                   |
| 7    | 9-0880   | WASHER, 5/8" Internal Tooth Lock                  |
| 8    | 1-8562   | SWITCH, Key                                       |
| 9    | 1-8674   | CABLE, Choke Assembly                             |
| 10   | 9-0118   | WASHER, 3/8" Split Lock                           |
| 11   | 9-0482   | NUT, 3/8-24 Hex Jam                               |
| 12   | 7-6952   | SCREW, #10-24 x 5/8" Pan Head (8)                 |
| 13   | 1-5098   | NUT, #10-24 Clip (8)                              |
| 14   | 7-7842   | BRACKET, Switch (2)                               |
| 15   | 1-9098   | SWITCH, Operator Presence (5)                     |
| 16   | 1-8675   | CONTROL, Throttle w/Knob                          |
| 17   | 7-7882   | BUSHING, Snap                                     |
| 18   | 7-6856   | TIE, Plastic Wire (3)                             |
| 19   | 7-7829   | HARNESS, Upper Wiring                             |
| 20   | 7-7856   | SPRING, Operator Presence (2)                     |
| 21   | 9-0055   | WASHER, 1/4" SAE Flat (6)                         |
| 22   | 7-7874   | E-Ring 1/4" Dia. Shaft (6)                        |
| 23   | 7-7873   | SCREW, 12-14 x 1/2" Hex Head Thread Forming (10)  |
| 24   | 7-7901   | COVER, Bottom w/Decal                             |
| 25   | 7-7830   | HARNESS, Module                                   |
| 26   | 2-3290   | BRACKET, Switch Right                             |
| 27   | 7-7865   | BRACKET, Switch Left                              |
| 28   | 9-0073   | SCREW, 1/4-20 x 3/4" Hex Head Cap, Grade 5        |
| 29   | 9-0053   | WASHER, 1/4" Internal Tooth Lock                  |
| 30   | 7-6978   | NUT, 1/4-20 Hex Nyloc                             |
| 31   | 7-7841   | LINKAGE, Operator Presence, Right                 |
| 32   | 7-7840   | LINKAGE, Operator Presence, Left                  |
| 33   | 9-0307   | SCREW, #10-24 x 1/2" Hex Washer Face Self-Tap (2) |
| 34   | 7-7833   | HARNESS, Engine Kill (Briggs 8 & 12 HP)           |
|      | 7-7831   | HARNESS, Engine Kill (Kawasaki)                   |


# **FUEL TANK ASSEMBLY**



# **FUEL TANK ASSEMBLY**

| ITEM   | PART NO.         | DESCRIPTION  |
|--------|------------------|--|
| 1      | 7-6393           | TANK, Fuel w/Valve & Clamp                               |
| 2      | 7-6535           | CAP, Fuel w/Gauge  |
| 3      | 7-7345           | PAD, Fuel Tank (4)                                       |
| 4      | 7-6562           | BAND, Fuel Tank (Short)                                  |
| 5      | 7-6563           | BAND, Fuel Tank (Long)                                   |
| 6      | 7-6966           | CLAMP, Fuel Tank Valve                                   |
| 7      | 7-6491           | VALVE, Fuel Shut-Off                                     |
| 8      | 7-6537           | PAD, Fuel Tank Saddle (2)                                |
| 9      | 7-7351           | LINE, Fuel 3-1/2"  |
| 10     | 7-6499           | CLAMP, Fuel Line (4)                                     |
| 11     | 7-6572           | FILTER, Fuel   |
| 12<br> | 2-3479<br>7-6560 | LINE, Fuel 16" (Kawasaki)<br>LINE, Fuel 17-1/2" (Briggs) |


# **GEARBOX ASSEMBLY**





### **GEARBOX ASSEMBLY**

| ITEM | PART NO. | DESCRIPTION                                    |
|------|----------|--|
| 1    | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (8) |
| 2    | 7-7322   | COVER, Input w/Bearing (7-7324)                |
| 3    | 7-7323   | GASKET, Input                                  |
| 4    | 7-7324   | BEARING (2)                                    |
| 5    | 7-7325   | SHIMS, 5/8 x 7/8x .010 (AR)                    |
| 6    | 5-7538   | ASSEMBLY, Worm (Dalton)                        |
| 7    | 7-7326   | BREATHER                                       |
| 8    | 7-7327   | SEAL, Output Shaft (2)                         |
| 9    | 7-7684   | PIPE PLUG, 1/8-27 (2)                          |
| 10   | 7-7328   | COVER, Output w/Bearing (7-7324)               |
| 11   | 7-7329   | GASKET, Output                                 |
| 12   | 7-7330   | SHIMS, 5/8 x 7/8 x .005 (AR)                   |
| 13   | 7-7331   | GEAR   |
| 14   | 7-7680   | SCREW, 1/4-20 x 3/8" Socket Head Set           |
| 15   | 1-0614   | KEY, 5/405 Woodruff                            |
| 16   | 7-7332   | GEAR CASE                                      |
| 17   | 7-7333   | SHAFT, Output                                  |
| 18   | 7-7335   | RING, Internal Snap (2)                        |
| 19   | 7-7336   | SEAL, Input                                    |
| 20   | 7-6380   | GEARBOX, Complete Assembly                     |
|      |          |  |

# **ENGINE COMPONENTS**







# **ENGINE COMPONENTS**

| ITEM | PART NO. | DESCRIPTION                                     |
|------|----------|---|
| 1    | 7-6570   | GASKET, Exhaust                                 |
| 2    | 7-6569   | TUBE, Exhaust Assembly                          |
| 3    | 7-6934   | SCREW, 5/16-18 x 3/4" Hex Head Cap, Grade 5 (2) |
| 4    | 9-0187   | WASHER, 5/16" Split Lock                        |
| 5    | 7-6503   | CLAMP, Muffler w/Bolt & Nut                     |
| 6    | 7-6507   | MUFFLER, Super Lo-Tone (12 HP Briggs)           |
| 7    | 9-0052   | WASHER, 1/4" Split Lock (6)                     |
| 8    | 7-6932   | SCREW, 1/4-20 x 3/4" Hex Head Cap, Grade 5 (2)  |
| 9    | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (4)  |
| 10   | 7-7716   | RING, Locking                                   |
| 11   | 7-7717   | MUFFLER, Round Lo-Tone (8HP Briggs)             |
| 12   | 7-6355   | DEFLECTOR, Side Out                             |
| 13   | 7-7690   | SCREW, Muffler Deflector (3)                    |
| 14   | 7-7355   | FILTER, Oil (12.5 HP Kawasaki)                  |
| 15   | 7-7288   | KIT, Oil Filter (12.5 HP Kawasaki)              |
| 16   | 7-6384   | BRACKET, Muffler Mount (12 HP Briggs)           |
| 17   | 7-7762   | SPACER, Muffler Bracket                         |
| 18   | 9-0548   | SCREW, 1/4-20 x 1" Hex Head Cap, Grade 5        |

32, 36, 48 DECAL KIT P/N 60909



# MERCIA

# MERC

# ERCIA

**OPERATING INSTRUCTIONS** BLADE RUN OFF SLOW CAUTION  ${ t A}$ L READ INSTRUCTION MANUAL BEFORE OPERATING EQUIPMENT. 6 **A** CAUTION BE SURE THE OPERATING CONTROLS ARE LOCKED IN NEUTRAL BEFORE STARTING THE ENGINE. OPERATOR TRAINING REQUIRED. READ OPERATORS MANUAL PRIOR TO RUNNING MOWER. 3 MOWER SHALL NOT BE USED UNLESS ALL GUARDS ARE BOLTED IN PLACE. 4 KEEP FEET, HANDS, & ALL OBJECTS FROM UNDER DECK. KEEP PEOPLE AND PETS AT A SAFE DISTANCE. KNOW CONTROLS BEFORE OPERATING MOWER. 10 • KEEP ALL SAFETY DEVICES AND SHIELDS IN PLACE. 5 USE CAUTION ON SLOPES. -11 & BEFORE LEAVING OPERATOR'S POSITION: CLEAR MOWING AREA OF WIRE, ROCKS, AND OTHER OBJECTS THAT COULD CAUSE INJURY IF THROWN BY BLADE. A. LOCK DRIVE LEVERS IN NEUTRAL WITH LATCHES. B. DISENGAGE ATTACHMENT CLUTCH. STOP ENGINE BEFORE YOU LEAVE THE C. SHUT OFF ENGINE. THE MOWER SHALL NOT BE OPERATED WITHOUT EITHER THE ENTIRE GRASS CATCHER OR THE CHUTE WHEN ADJUSTING WHEELS BE SURE ENGINE IS OFF. OPERATORS POSITION. DISCONNECT SPARK PLUG WIRE BEFORE SERVICING OR CLEANING. DEFLECTOR BOLTED IN PLACE. DO NOT REMOVE

DO NOT ADD FUEL WHILE ENGINE IS WARM OR RUNNING.

GRASS CATCHER UNTIL BLADE OR BLADES HAVE


# 32, 36, 48 DECAL KIT Part No. 6-0909

| ITEM | PART NO. | DESCRIPTION          |
|------|----------|----------------------|
| 1    | 1-9094   | DECAL, 32 Commercial |
| 2    | 1-9095   | DECAL, 36 Commercial |
| 3    | 1-9105   | DECAL, 48 Commercial |
| 4    | 1-8593   | DECAL, Snapper (3)   |
| 5    | 7-6533   | DECAL, Caution       |
| 6    | 1-3010   | DECAL, CPSC Caution  |
| 7    | 7-7912   | DECAL, Blade         |
| 8    | 7-7911   | DECAL, Ground Speed  |
| 9    | 7-7872   | DECAL, Control Panel |
| 10   | 7-7910   | DECAL, Caution       |
| 11   | 7-6493   | DECAL, Caution       |

Parts Manual for

# SNAPPER

32", 36", & 48" COMMERCIAL MOWERS



IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

**SNAPPER**®McDonough, GA.,30253 U.S.A.